

 **calpeda®**



ISO  
9001:2008

CE  
2159

  
UA1 081





## Calpeda Wates Pressure Vessels

Built-in pressure gauge  
 (Models 100-10,000)  
 Interchangeable membrane with unique tiered design  
 8 to 10,000 liters (10, 16, 25 bar)  
 ISO:9001, Gost, CE approved

Calpeda Series of interchangeable diaphragm and high pressure vessels are available in 10, 16 and 25 bar pressure ratings and in sizes up to 10,000 liters. Models 100 liters and above are designed with a built-in pressure gauge  
 Maximum working temperature 8V - 1,500V -20°C/-5°F - 100°C/210°F  
 2,000V - 10,000V -10°C/15°F - 70°C/160°F





CAPACITY (LITRES)	PRECHARGED (BAR)	CONNECTION SIZE	DIAMETER (MM)	HEIGHT (MM)
50 LT	4	1"	380	750
60 LT	4	1"	380	810
80 LT	4	1"	430	960
100 LT	4	1'	460	990
150 LT	4	1'	500	1100
200 LT	4	1-1/4"	590	1120
300 LT	4	1-1/4"	640	1230
500 LT	4	1-1/4"	750	1550
750 LT	4	2"	750	1950
750 LT	4	2"	800	1850
900 LT	4	2"	800	1950
1000 LT	4	2"	800	2180
1500 LT	4	2"	960	2380
2000 LT	4	2"	1100	2520
3000 LT	4	2-1/2"	1200	2800
4000 LT	4	3"	1450	3100
5000 LT	4	3"	1450	3720
10000 LT	4	DN 100	1600	5750